



Sunflora, Inc.
 411 19th Street South
 St. Petersburg, FL 33712
 www.cbdrx4u.com



Broad Spectrum Watermelon Rings, 10 mg (120919WTRR)

Order ID#:	200228002	Sample date:	27-Feb-2020
Lab Code#:	200228002-002	Sample received:	28-Feb-2020
Product Type:	Edible	Completed:	6-Mar-2020
Lot/Batch:	120919WTRR	Report expires:	6-Mar-2021
Unit Amount (g):	7.6753		

SAFETY ANALYSIS

Micro PASS	Mycotoxins PASS	Metals PASS	Pesticides PASS	Solvents PASS
-----------------------------	----------------------------------	------------------------------	----------------------------------	--------------------------------

CANNABINOIDS

Analysis Batch: WO-20022810
Analysis Date: Monday, March 02, 2020


Test Method: SOP 6.6 (HPLC)
Instrument: Agilent HPLC 1220, Instrument 33

Analyte	% ^a	mg/g	mg/unit
THCA-A	ND	ND	ND
Δ9-THC	ND	ND	ND
CBDA	ND	ND	ND
CBD	0.175	1.75	13.5
CBN	ND	ND	ND
CBDV	ND	ND	ND
Δ8-THC	ND	ND	ND
THCV	ND	ND	ND
CBG	0.00183	0.0183	0.141
CBGA	ND	ND	ND
CBC	0.00181	0.0181	0.139

Total THC^b
ND

Total CBD^c
0.175%

CBD/unit^d
13.5 mg



^a Detection Level = 0.002% by dry-weight.

^b Total THC is calculated as %THC + (%THCA × 0.877).

^c Total CBD is calculated as %CBD + (%CBDA × 0.877).

^d The absolute sum of all cannabinoids above the level of detection.

Comments:

None.

Authorization



YoungChul Park, Ph.D., Laboratory Director
 Approval Date: 9-Mar-2020

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -



Sunflora, Inc.

411 19th Street South
St. Petersburg, FL 33712
www.cbdrx4u.com



Your CBD Store™

Broad Spectrum Watermelon Rings, 10 mg (120919WTRR)

Order ID#:	200228002	Sample date:	27-Feb-2020
Lab Code#:	200228002-002	Sample received:	28-Feb-2020
Product Type:	Edible	Completed:	6-Mar-2020
Lot/Batch:	120919WTRR	Report expires:	6-Mar-2021
Unit Amount (g):	7.6753		

MICROBIAL CONTAMINANTS

Analysis Batch:	WO-20030208	Test Method:	SOP 6.11 (qPCR)
Analysis Date:	Friday, February 28, 2020	Instrument:	Agilent AriaMX, Instrument 39

TEST	RESULT	SPECIFICATION
Shiga toxin-producing E.coli (STEC)	Pass	None present
Escherichia coli (E. coli)	Pass	None present
Salmonella	Pass	None present
Listeria	Pass	None present

MYCOTOXINS

Analysis Batch:	WO-20022812	Test Method:	SOP 6.7 (LC-MS/MS)
Analysis Date:	Friday, February 28, 2020	Instrument:	Agilent LC-MS/MS, Instrument 33

ANALYTE	RESULT	ACTION LIMIT	LOD	UNIT
Aflatoxin, Total	Pass	0.020	0.005	µg/g
Ochratoxin A	Pass	0.020	0.005	µg/g

* Total Aflatoxin includes B1, B2, G1 and G2.

HEAVY METALS

Analysis Batch:	WO-20022814	Test Method:	SOP 6.10 (ICP/MS)
Analysis Date:	Thursday, March 05, 2020	Instrument:	Agilent ICP/MS, Instrument 38

ELEMENT	RESULT	ACTION LIMIT	LOD	UNIT
Lead	Pass	0.50	0.050	µg/g
Arsenic	Pass	1.5	0.050	µg/g
Mercury	Pass	3.0	0.005	µg/g
Cadmium	Pass	0.50	0.050	µg/g

Comments:

None.

Authorization



YoungChul Park, Ph.D., Laboratory Director

Approval Date: 9-Mar-2020

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -



Sunflora, Inc.
 411 19th Street South
 St. Petersburg, FL 33712
 www.cbdrx4u.com



Broad Spectrum Watermelon Rings, 10 mg (120919WTRR)

Order ID#:	200228002	Sample date:	27-Feb-2020
Lab Code#:	200228002-002	Sample received:	28-Feb-2020
Product Type:	Edible	Completed:	6-Mar-2020
Lot/Batch:	120919WTRR	Report expires:	6-Mar-2021
Unit Amount (g):	7.6753		

PESTICIDES

Analysis Batch: WO-20022812
Analysis Date: Monday, March 02, 2020

Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 32

Analyte	Action Level	Result (µg/g)
Abamectin	0.30	Pass
Acephate	3.00	Pass
Acequinocyl	2.00	Pass
Acetamiprid	3.00	Pass
Aldicarb	0.10	Pass
Azoxystrobin	3.00	Pass
Bifenazate	3.00	Pass
Carbaryl	0.50	Pass
Carbofuran	0.10	Pass
Chlorantraniliprole	3.00	Pass
Chlorfenapyr	0.05	Pass
Chlorpyrifos	0.10	Pass
Clofentezine	0.50	Pass
Coumaphos	0.10	Pass
Cypermethrin	1.00	NR
Daminozide	0.10	Pass
Diazinon	0.20	Pass
Dichlorvos	0.10	Pass
Dimethoate	0.10	Pass
Dimethomorph (I/II)	3.00	Pass
Ethoprophos	0.10	Pass
Etofenprox	0.10	Pass
Etoxazole	1.50	Pass
Fenhexamid	3.00	Pass
Fenoxycarb	0.10	Pass
Fenpyroximate	2.00	Pass
Fipronil	0.10	Pass
Flonicamid	2.00	Pass
Fludioxonil	3.00	Pass

Analyte	Action Level	Result (µg/g)
Hexythiazox	2.00	Pass
Imazalil	0.10	Pass
Imidacloprid	1.00	Pass
Kresoxim methyl	1.00	Pass
Malathion	3.00	Pass
Metalaxyl	0.10	Pass
Methiocarb	0.10	Pass
Methomyl	0.10	Pass
Mevinphos (I/II)	0.10	Pass
Myclobutanil	3.00	Pass
Naled	0.50	Pass
Oxamyl	1.50	Pass
Paclbutrazol	0.10	Pass
Phosmet	0.20	Pass
Piperonyl butoxide	3.00	Pass
Prallethrin	0.40	Pass
Propiconazole	1.00	Pass
Propoxur	2.10	Pass
Pyrethrins	1.00	Pass
Pyridaben	3.00	Pass
Spinetoram (J/L)	3.00	Pass
Spinosad A + D	3.00	Pass
Spiromesifen	3.00	Pass
Spirotetramat	3.00	Pass
Spiroxamine (I/II)	0.10	Pass
Tebuconazole	1.00	Pass
Thiacloprid	0.10	Pass
Thiamethoxam	1.00	Pass
Trifloxystrobin	3.00	Pass

Comments:

*Not reported due to matrix interferences.

Authorization



YoungChul Park, Ph.D., Laboratory Director
 Approval Date: 9-Mar-2020

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -



Sunflora, Inc.
 411 19th Street South
 St. Petersburg, FL 33712
 www.cbdrx4u.com



Broad Spectrum Watermelon Rings, 10 mg (120919WTRR)

Order ID#:	200228002	Sample date:	27-Feb-2020
Lab Code#:	200228002-002	Sample received:	28-Feb-2020
Product Type:	Edible	Completed:	6-Mar-2020
Lot/Batch:	120919WTRR	Report expires:	6-Mar-2021
Unit Amount (g):	7.6753		

RESIDUAL SOLVENTS

Analysis Batch: WO-20022813
Analysis Date: Wednesday, March 04, 2020

Test Method: SOP 6.8
Instrument: Agilent GC-FID/MS, Instrument 36

Analyte	Action Level	Result (µg/g)
1,2-Dichloroethane	5	Pass
Acetone	5000	Pass
Acetonitrile	410	Pass
Benzene	2	Pass
Butane	2000	Pass
Chloroform	60	Pass
Ethanol	5000	Pass
Ethyl Acetate	5000	Pass
Ethyl Ether	5000	Pass
Ethylene Oxide	5	Pass

Analyte	Action Level	Result (µg/g)
Heptane	5000	Pass
Hexane	290	Pass
Isopropyl Alcohol	500	Pass
Methanol	3000	Pass
Methylene Chloride	600	Pass
Pentane	5000	Pass
Propane	2100	Pass
Toluene	890	Pass
Trichloroethylene	80	Pass
Xylenes, Total	2170	Pass

Comments:

None.

Authorization



YoungChul Park, Ph.D., Laboratory Director
 Approval Date: 9-Mar-2020

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -