

Order #: 66045 Order Name: 110120BSPT 250mg Pet Tincture Batch#: 110120BSPT 250mg Pet Tincture Received: 11/20/2020 Completed: 11/30/2020

#### SunFlora Inc.



UPLOADED: 11/24/2020 13:37:29

### Sample




### **Cannabinoids Test**

SHIMADZU INTEGRATED UPLC-PDA GSL SOP 400

Cannabinoids	LOQ	weight(%)	mg/g	mg/unit
D9-THC	10 PPM	N/D	N/D	N/D
THCA	10 PPM	N/D	N/D	N/D
CBD	10 PPM	0.828%	8.277	234.7
CBDA	20 PPM	N/D	N/D	N/D
CBDV	20 PPM	N/D	N/D	N/D
CBC	10 PPM	N/D	N/D	N/D
CBN	10 PPM	N/D	N/D	N/D
CBG	10 PPM	N/D	N/D	N/D
CBGA	20 PPM	N/D	N/D	N/D
D8-THC	10 PPM	N/D	N/D	N/D
THCV	10 PPM	N/D	N/D	N/D
TOTAL D9-THC		N/D	N/D	N/D
TOTAL CBD*		0.828%	8.277	234.7
TOTAL CANNABINOIDS		0.828%	8.277	234.7

1 unit = 30 ml per unit x density (.945) x Cannabinoid concentration



Reporting Limit 10 ppm \*Total CBD = CBD + CBDA x 0.877

N/D - Not Detected, B/LOQ - Below Limit of Quantification

Dr. Andrew Hall, Ph.D., Chief Scientific Officer

Bul

Ben Witten, MS, MT., Lab Director

Green Scientific Labs info@greenscientificlabs.com 1-833 TEST CBD





Order #: 66045 Order Name: 110120BSPT 250mg Pet Tincture Batch#: 110120BSPT 250mg Pet Tincture Received: 11/20/2020 Completed: 11/30/2020

#### SunFlora Inc.



## **TERPENES: TOTAL (0.000%)**

Headspace GCMS - Shimadzu GCMS QP2020 with HS20


GSL SOP 404 Prepared: 11/20/2020 21:31:09 Uploaded: 11/23/2020 13:03:47

Terpene

Results (%) LOQ (%) LOD (%)

### **Terpenes Breakdown**

**Top Terpenes Results:** 



#### Tested for but not present:

Dr. Andrew Hall, Ph.D., Chief Scientific Officer

ALPHA-PINENE, CAMPHENE, BETA-MYRCENE, BETA-PINENE, 3-CARENE, ALPHA-TERPINENE, TRANS-BETA-OCIMENE, LIMONENE, P-CYMENE, CIS-BETA-OCIMENE, EUCALYPTOL, GAMMA-TERPINENE, TERPINOLENE, LINALOOL, ISOPULEGOL, GERANIOL, CARYOPHYLLENE, HUMULENE, CIS-NEROLIDOL, TRANS-NEROLIDOL, GUAIOL, CARYOPHYLLENE OXIDE, ALPHA-BISABOLOL

Ben Witten, MS, MT., Lab Director

Green Scientific Labs info@greenscientificlabs.com 1-833 TEST CBD



PREPARED: 11/20/2020 20:08:55



Order #: 66045 Order Name: 110120BSPT 250mg Pet Tincture Batch#: 110120BSPT 250mg Pet Tincture Received: 11/20/2020 Completed: 11/30/2020

SunFlora Inc.



## **PESTICIDE ANALYSIS:**

GSL SOP 401

GCMS-MS - Shimadzu GCMS-TQ8040

Pesticide	Action Level (ppm)	Results (ppm)	LOQ (ppm)	LOD (ppm)
CAPTAN	3.000	N/D	0.003	0.001
CHLORDANE	0.100	N/D	0.003	0.001
CHLORFENAPYR	0.100	N/D	0.003	0.001
COUMAPHOS	0.100	N/D	0.003	0.001

Pesticide	Action Level			-
	(ppm)	(ppm)	(ppm)	(ppm)
CYFLUTHRIN	1.000	N/D	0.003	0.001
CYPERMETHRIN	1.000	N/D	0.003	0.001
PENTACHLORONITROBENZENE	0.200	N/D	0.003	0.001

UPLOADED: 11/23/2020 13:17:21

LCMS-MS - Shimadzu LCMS-8060

Contract     (ppm)     (ppm)     (ppm)     (ppm)     (ppm)       ABAMECTIN B1A     0.300     N/D     0.001     0.001       ACEPHATE     3.000     N/D     0.001     0.001       ACEPHATE     3.000     N/D     0.001     0.001       ACEQUINOCYL     2.000     N/D     0.005     0.001       ACETAMIPRID     3.000     N/D     0.005     0.001       ALDICARB     0.100     N/D     0.005     0.001       AZOXYSTROBIN     3.000     N/D     0.005     0.001       BIFENTHRIN     0.500     N/D     0.005     0.001       BOSCALID     3.000     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.003     0.001       CHLORMEQUAT     3.000     N/D     0.005     0.005       CHLORNEQUAT     3.000     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIACINON     0.200     N/D     0.001	Pesticide	Action Level	Results	LOQ	LOD
ACEPHATE     3.000     N/D     0.001     0.001       ACEQUINOCYL     2.000     N/D     0.001     0.001       ACETAMIPRID     3.000     N/D     0.005     0.001       ALDICARB     0.100     N/D     0.005     0.001       AZOXYSTROBIN     3.000     N/D     0.005     0.001       BIFENAZATE     3.000     N/D     0.005     0.001       BIFENTHRIN     0.500     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.003     0.001       CARBARYL     0.500     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.005     0.001       CHLORMEQUAT     3.000     N/D     0.005     0.005       CHLORPYRIFOS     0.100     N/D     0.001     0.001       DAMINOZIDE     0.100     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001 </th <th>I collette</th> <th>(ppm)</th> <th>(ppm)</th> <th>(ppm)</th> <th>(ppm)</th>	I collette	(ppm)	(ppm)	(ppm)	(ppm)
ACEQUINOCYL     2.000     N/D     0.001     0.001       ACETAMIPRID     3.000     N/D     0.005     0.001       ALDICARB     0.100     N/D     0.005     0.001       AZOXYSTROBIN     3.000     N/D     0.001     0.001       BIFENAZATE     3.000     N/D     0.005     0.001       BIFENTHRIN     0.500     N/D     0.005     0.001       BOSCALID     3.000     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.003     0.001       CARBARYL     0.500     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.005     0.005       CHLORNEQUAT     3.000     N/D     0.005     0.001       CHLORNDE     0.100     N/D     0.001     0.001       DAMINOZIDE     0.100     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001	ABAMECTIN B1A	0.300	N/D	0.005	0.001
ACETAMIPRID     3.000     N/D     0.005     0.001       ALDICARB     0.100     N/D     0.005     0.001       AZOXYSTROBIN     3.000     N/D     0.001     0.001       BIFENAZATE     3.000     N/D     0.005     0.001       BIFENTHRIN     0.500     N/D     0.005     0.001       BOSCALID     3.000     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.003     0.001       CARBARYL     0.500     N/D     0.005     0.001       CARBOFURAN     0.100     N/D     0.005     0.005       CHLORANTRANILIPROLE     3.000     N/D     0.025     0.025       CHLORPQUAT     3.000     N/D     0.001     0.001       CHLORPYRIFOS     0.100     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIALORVOS     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001 </td <td>ACEPHATE</td> <td>3.000</td> <td>N/D</td> <td>0.001</td> <td>0.001</td>	ACEPHATE	3.000	N/D	0.001	0.001
ALDICARB     0.100     N/D     0.005     0.001       AZOXYSTROBIN     3.000     N/D     0.001     0.001       BIFENAZATE     3.000     N/D     0.005     0.001       BIFENTHRIN     0.500     N/D     0.005     0.001       BOSCALID     3.000     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.003     0.001       CARBOFURAN     0.100     N/D     0.005     0.005       CHLORANTRANILIPROLE     3.000     N/D     0.025     0.025       CHLORMEQUAT     3.000     N/D     0.001     0.001       CLORENTEZINE     0.500     N/D     0.001     0.001       DAMINOZIDE     0.100     N/D     0.001     0.001       DIALINON     0.200     N/D     0.001     0.001       DIALINON     0.200     N/D     0.001     0.001       DIALORYCRIFOS     0.100     N/D     0.001     0.001       DIALORYONS     0.100     N/D     0.001     0.0	ACEQUINOCYL	2.000	N/D	0.001	0.001
AZOXYSTROBIN     3.000     N/D     0.001     0.001       BIFENAZATE     3.000     N/D     0.001     0.001       BIFENAZATE     3.000     N/D     0.005     0.001       BIFENTHRIN     0.500     N/D     0.005     0.001       BOSCALID     3.000     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.003     0.001       CARBOFURAN     0.100     N/D     0.005     0.005       CHLORANTRANILIPROLE     3.000     N/D     0.025     0.025       CHLORMEQUAT     3.000     N/D     0.001     0.001       CLORENTEZINE     0.500     N/D     0.001     0.001       DAMINOZIDE     0.100     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIALIORVOS     0.100     N/D     0.001     0.001       DIALORVOS     0.100     N/D     0.001     0.001       DIALORVOS     0.100     N/D     0.001     0.00	ACETAMIPRID	3.000	N/D	0.005	0.001
BIFENAZATE     3.000     N/D     0.005     0.001       BIFENTHRIN     0.500     N/D     0.005     0.001       BOSCALID     3.000     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.003     0.001       CARBARYL     0.500     N/D     0.003     0.001       CARBOFURAN     0.100     N/D     0.005     0.005       CHLORANTRANILIPROLE     3.000     N/D     0.025     0.025       CHLORMEQUAT     3.000     N/D     0.001     0.001       CHLORPYRIFOS     0.100     N/D     0.001     0.001       DAMINOZIDE     0.500     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIALINON     0.200     N/D     0.001     0.001       DIALINON     0.200     N/D     0.001     0.001       DIALIORVOS     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001	ALDICARB	0.100	N/D	0.005	0.001
BIFENTHRIN     0.500     N/D     0.005     0.001       BOSCALID     3.000     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.003     0.001       CARBOFURAN     0.100     N/D     0.005     0.005       CHLORANTRANILIPROLE     3.000     N/D     0.025     0.025       CHLORMEQUAT     3.000     N/D     0.001     0.001       CHLORPYRIFOS     0.100     N/D     0.001     0.001       CLOFENTEZINE     0.500     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIALINON     0.200     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.005     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOARPH     3.000     N/D     0.001     0.001	AZOXYSTROBIN	3.000	N/D	0.001	0.001
BOSCALID     3.000     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.003     0.001       CARBOFURAN     0.100     N/D     0.001     0.001       CHLORANTRANILIPROLE     3.000     N/D     0.025     0.025       CHLORMEQUAT     3.000     N/D     0.001     0.001       CHLORIDE     3.000     N/D     0.025     0.025       CHLORPYRIFOS     0.100     N/D     0.001     0.001       CLOFENTEZINE     0.500     N/D     0.001     0.001       DAMINOZIDE     0.100     N/D     0.005     0.001       DIALINON     0.200     N/D     0.001     0.001       DIALINON     0.200     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       ETHOPROPHOS     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001	BIFENAZATE	3.000	N/D	0.005	0.001
CARBARYL     0.500     N/D     0.003     0.001       CARBOFURAN     0.100     N/D     0.001     0.001       CHLORANTRANILIPROLE     3.000     N/D     0.005     0.005       CHLORANTRANILIPROLE     3.000     N/D     0.025     0.025       CHLORMEQUAT     3.000     N/D     0.001     0.001       CHLORIDE     3.000     N/D     0.025     0.025       CHLORPYRIFOS     0.100     N/D     0.001     0.001       DAMINOZIDE     0.100     N/D     0.005     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIALINON     0.200     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     <	BIFENTHRIN	0.500	N/D	0.005	0.001
CARBOFURAN     0.100     N/D     0.001     0.001       CHLORANTRANILIPROLE     3.000     N/D     0.025     0.025       CHLORMEQUAT     3.000     N/D     0.025     0.025       CHLORIDE     3.000     N/D     0.025     0.025       CHLORIDE     3.000     N/D     0.001     0.001       CLOFENTEZINE     0.500     N/D     0.001     0.001       DAMINOZIDE     0.100     N/D     0.005     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.005     0.001       DIMETHOATE     0.100     N/D     0.005     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETORENZACLE     1.500     N/D     0.001     0.001       FENHEXAMID     3.000     N/D     0.005     0.001       FENPYROXIMATE     2.000     N/D     0.001	BOSCALID	3.000	N/D	0.005	0.001
CHLORANTRANILIPROLE     3.000     N/D     0.005     0.005       CHLORMEQUAT     3.000     N/D     0.025     0.025       CHLORIDE     3.000     N/D     0.025     0.025       CHLORIDE     3.000     N/D     0.011     0.001       CLORPYRIFOS     0.100     N/D     0.001     0.001       DAMINOZIDE     0.100     N/D     0.005     0.001       DIAZINON     0.200     N/D     0.005     0.001       DICHLORVOS     0.100     N/D     0.005     0.001       DIMETHOATE     0.100     N/D     0.005     0.001       DIMETHOMORPH     3.000     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETORENZACLE     1.500     N/D     0.001     0.001       FENHEXAMID     3.000     N/D     0.005     0.001       FENPYROXIMATE     2.000     N/D     0.001 <td< td=""><td>CARBARYL</td><td>0.500</td><td>N/D</td><td>0.003</td><td>0.001</td></td<>	CARBARYL	0.500	N/D	0.003	0.001
CHLORMEQUAT CHLORIDE     3.000     N/D     0.025     0.025       CHLORIDE     3.000     N/D     0.025     0.025       CHLORPYRIFOS     0.100     N/D     0.001     0.001       CLOFENTEZINE     0.500     N/D     0.001     0.001       DAMINOZIDE     0.100     N/D     0.005     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIALINON     0.200     N/D     0.005     0.001       DIMETHOATE     0.100     N/D     0.005     0.001       DIMETHOMORPH     3.000     N/D     0.001     0.001       ETHOPROPHOS     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.005     0.001       FENPKXAMID     3.000     N/D     0.005     0.001       FENPYROXIMATE     2.000     N/D     0.001     0.001       FENPYROXIMATE     2.000     N/D     0.003	CARBOFURAN	0.100	N/D	0.001	0.001
CHLORIDE     3.000     N/D     0.025     0.025       CHLORPYRIFOS     0.100     N/D     0.001     0.001       CLOFENTEZINE     0.500     N/D     0.001     0.001       DAMINOZIDE     0.100     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIALION     0.200     N/D     0.001     0.001       DIALINON     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       ETHOPROPHOS     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.005     0.001	CHLORANTRANILIPROLE	3.000	N/D	0.005	0.005
CHLORIDE     A.M.     M.D.     M.D.       CHLORPYRIFOS     0.100     N/D     0.001     0.001       CLORPYRIFOS     0.500     N/D     0.001     0.001       DAMINOZIDE     0.100     N/D     0.005     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIATINON     0.200     N/D     0.001     0.001       DIATINON     0.200     N/D     0.001     0.001       DIATINON     0.200     N/D     0.001     0.001       DIMETHOARE     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.005     0.001       FENHEXAMID     3.000     N/D     0.005     0.001       FENOXY	CHLORMEQUAT	2 000		0.025	0.025
CLOFENTEZINE     0.500     N/D     0.001     0.001       DAMINOZIDE     0.100     N/D     0.005     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DICHLORVOS     0.100     N/D     0.005     0.001       DIMETHOATE     0.100     N/D     0.005     0.001       DIMETHOMORPH     3.000     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.005     0.001       FENHEXAMID     3.000     N/D     0.005     0.001       FENPROXYCARB     0.100     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.003     0.001       FENPROXIMATE     2.000     N/D     0.025     0.010       FLONICAMID     2.000     N/D     0.025     0.010	CHLORIDE	3.000	IN/D	0.025	0.025
DAMINOZIDE     0.100     N/D     0.005     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DICHLORVOS     0.100     N/D     0.005     0.001       DIMETHOATE     0.100     N/D     0.005     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       ETHOPROPHOS     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.005     0.001       FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.003     0.001       FENPYROXIMATE     2.000     N/D     0.025     0.010       FLONICAMID     2.000     N/D     0.025     0.010	CHLORPYRIFOS	0.100	N/D	0.001	0.001
DIAZINON     0.200     N/D     0.001     0.001       DICHLORVOS     0.100     N/D     0.005     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOMORPH     3.000     N/D     0.001     0.001       ETHOPROPHOS     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.005     0.001       FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	CLOFENTEZINE	0.500	N/D	0.001	0.001
DICHLORVOS     0.100     N/D     0.005     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.005     0.001       DIMETHOMORPH     3.000     N/D     0.001     0.001       ETHOPROPHOS     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.010     0.005       FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.005     0.001       FIPRONIL     0.100     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010       FLONICAMID     2.000     N/D     0.025     0.010	DAMINOZIDE	0.100	N/D	0.005	0.001
DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOMORPH     3.000     N/D     0.005     0.001       ETHOPROPHOS     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.010     0.005       FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.005     0.001       FENPYROXIMATE     2.000     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010       FLONIL     0.100     N/D     0.025     0.010	DIAZINON	0.200	N/D	0.001	0.001
DIMETHOMORPH     3.000     N/D     0.005     0.001       ETHOPROPHOS     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.010     0.005       FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.005     0.001       FENPYROXIMATE     2.000     N/D     0.003     0.001       FIPRONIL     0.100     N/D     0.025     0.010       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	DICHLORVOS	0.100	N/D	0.005	0.001
ETHOPROPHOS     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.010     0.005       FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.005     0.001       FENPYROXIMATE     2.000     N/D     0.003     0.001       FIPRONIL     0.100     N/D     0.025     0.010       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	DIMETHOATE	0.100	N/D	0.001	0.001
ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.010     0.005       FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.005     0.001       FENPYROXIMATE     2.000     N/D     0.003     0.001       FIPRONIL     0.100     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	DIMETHOMORPH	3.000	N/D	0.005	0.001
ETOXAZOLE     1.500     N/D     0.010     0.005       FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.005     0.001       FENPYROXIMATE     2.000     N/D     0.003     0.001       FIPRONIL     0.100     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	ETHOPROPHOS	0.100	N/D	0.001	0.001
FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.005     0.001       FENPYROXIMATE     2.000     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	ETOFENPROX	0.100	N/D	0.001	0.001
FENOXYCARB     0.100     N/D     0.005     0.001       FENPYROXIMATE     2.000     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	ETOXAZOLE	1.500	N/D	0.010	0.005
FENPYROXIMATE     2.000     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	FENHEXAMID	3.000	N/D	0.005	0.001
FIPRONIL     0.100     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	FENOXYCARB	0.100	N/D	0.005	0.001
FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	FENPYROXIMATE	2.000	N/D	0.001	0.001
FLUDIOXONIL 3.000 N/D 0.003 0.001	FIPRONIL	0.100	N/D	0.003	0.001
	FLONICAMID	2.000	N/D	0.025	0.010
HEXYTHIAZOX 2.000 N/D 0.005 0.001	FLUDIOXONIL	3.000	N/D	0.003	0.001
	HEXYTHIAZOX	2.000	N/D	0.005	0.001

Pesticide	Action Level (ppm)	Results (ppm)	LOQ (ppm)	LOD (ppm)
IMAZALIL	0.100	N/D	0.005	0.001
IMIDACLOPRID	3.000	N/D	0.005	0.001
KRESOXIM-METHYL	1.000	N/D	0.010	0.005
MALATHION	2.000	N/D	0.005	0.001
METALAXYL	3.000	N/D	0.001	0.001
METHIOCARB	0.100	N/D	0.005	0.001
METHOMYL	0.100	N/D	0.001	0.001
MEVINPHOS	0.100	N/D	0.001	0.001
MYCLOBUTANIL	3.000	N/D	0.005	0.001
NALED	0.500	N/D	0.005	0.001
OXAMYL	0.500	N/D	0.001	0.001
PACLOBUTRAZOL	0.100	N/D	0.005	0.001
PERMETHRINS	1.000	N/D	0.005	0.001
PHOSMET	0.200	N/D	0.005	0.001
PIPERONYL BUTOXIDE	3.000	N/D	0.001	0.001
PRALLETHRIN	0.400	N/D	0.005	0.005
PROPICONAZOLE	1.000	N/D	0.010	0.005
PROPOXUR	0.100	N/D	0.001	0.001
PYRETHRINS (PYRETHRIN I)	1.000	N/D	0.005	0.005
PYRIDABEN	3.000	N/D	0.005	0.001
SPINETORAM	3.000	N/D	0.001	0.001
SPINOSAD	3.000	N/D	0.001	0.001
SPIROMESIFEN	3.000	N/D	0.005	0.001
SPIROTETRAMAT	3.000	N/D	0.001	0.001
SPIROXAMINE	0.100	N/D	0.001	0.001
TEBUCONAZOLE	1.000	N/D	0.005	0.001
THIACLOPRID	0.100	N/D	0.001	0.001
THIAMETHOXAM	1.000	N/D	0.001	0.001
TRIFLOXYSTROBIN	3.000	N/D	0.001	0.001

N/D = Not Detected, A/LOQ = Above LOQ Level, B/LOQ = Below LOQ Level, B/LOD = Below LOD Level

Dr. Andrew Hall, Ph.D., Chief Scientific Officer

Ben Witten, MS, MT., Lab Director

**Green Scientific Labs** info@greenscientificlabs.com 1-833 TEST CBD





Order #: 66045 Order Name: 110120BSPT 250mg Pet Tincture Batch#: 110120BSPT 250mg Pet Tincture Received: 11/20/2020 Completed: 11/30/2020 SunFlora Inc.



## **RESIDUAL SOLVENTS:**

Headspace GCMS - Shimadzu GCMS QP2020 with HS20

GSL SOP 405 Prepared: 11/20/2020 21:43:57 Uploaded: 11/23/2020 13:09:34

Residual Solvent	Action Level (ppm)	Results (ppm)	LOQ (ppm)	LOD (ppm)
1,1-DICHLOROETHENE	8	N/D	0.63	0.63
1,2- DICHLOROETHANE	2	N/D	0.12	0.02
ACETONE	5,000	N/D	140	20
ACETONITRILE	410	N/D	25	1
BENZENE	1	N/D	1	0.5
BUTANE	5,000	N/D	50	10
CHLOROFORM	1	N/D	1	0.5
CIS 1,2-DICHLOROETHENE	5	N/D	0.73	0.18
ETHANOL	5,000	N/D	140	20
ETHYL ACETATE	5,000	N/D	140	20
ETHYL ETHER	5,000	N/D	140	20
ETHYLENE OXIDE	1	N/D	0	0
ISOPROPYL ALCOHOL	5,000	N/D	140	20
METHANOL	3,000	N/D	100	20
METHYLENE CHLORIDE	125	N/D	0.15	0.15
N-HEPTANE	5,000	N/D	140	20
N-HEXANE	290	N/D	18	10
PENTANE	5,000	N/D	140	20
PROPANE	5,000	N/D	20	1
TOLUENE	890	N/D	53	1
TRANS 1,2-DICHLOROETHENE	5	N/D	0.73	0.18
TRICHLOROETHENE	1	N/D	1	0.5
XYLENES	150	N/D	130	20

Bul

Dr. Andrew Hall, Ph.D., Chief Scientific Officer

Ben Witten, MS, MT., Lab Director

Green Scientific Labs info@greenscientificlabs.com 1-833 TEST CBD





Order #: 66045 Order Name: 110120BSPT 250mg Pet Tincture Batch#: 110120BSPT 250mg Pet Tincture Received: 11/20/2020 Completed: 11/30/2020

SunFlora Inc.



#### **Microbial Analysis:**

PCR - Agilent AriaMX fa

### Microbial Analysis GSL SOP 406 Uploaded: 11/23/2020 19:23:49

## **MICROBIAL ANALYSIS:**

PCR - Agilent AriaMX

Test	SOP	Test Method	Device Used	LOD	Allowable Criteria	Actual Result	Pass/Fail
TOTAL YEAST AND MOLD	406.01	USP 61/62†	ARIAMX PCR	CFU/G BY SAMPLE TYPE**	1,000 CFU/G	NOT DETECTED	PASS
STEC E. COLI*	406.01	USP 61/62†	ARIAMX PCR	1 CFU/G**	DETECT/NOT DETECTED	NOT DETECTED	PASS
PATHOGENIC E. COLI	406.01	USP 61/62†	ARIAMX PCR	1 CFU/G**	DETECT/NOT DETECTED	NOT DETECTED	PASS
SALMONELLA*	406.01	USP 61/62†	ARIAMX PCR	1 CFU/G**	DETECT/NOT DETECTED	NOT DETECTED	PASS

† USP 61 (enumeration of bacteria TAC, TYM, and ENT/Coliform), USP 62 (identifying specific species E.coli Aspergillus etc) \* STEC and Salmonella run as Multiplex

\*\* CFU/g Calculation based on MIP/Extract matrix

\*\*\* Flavus = 2 Copies of DNA / Fumigatis = 2 Copies of DNA Niger = 20 Copies of DNA / Terrus = 10 copies of DNA

Dr. Andrew Hall, Ph.D., Chief Scientific Officer

Ben Witten, MS, MT., Lab Director

**Green Scientific Labs** info@greenscientificlabs.com 1-833 TEST CBD





Order #: 66045 Order Name: 110120BSPT 250mg Pet Tincture Batch#: 110120BSPT 250mg Pet Tincture Received: 11/20/2020 Completed: 11/30/2020 SunFlora Inc.



### **Mycotoxin Analysis:**

LC-MS - Shimadzu LCMS-8060 GSL SOP 401

Uploaded: 11/23/2020 13:17:19

Analyte	Action Lvl (ppb)	Results (ppb)
AFLATOXIN B1	20	N/D
AFLATOXIN B2	20	N/D
AFLATOXIN G1	20	N/D
AFLATOXIN G2	20	N/D
OCHRATOXIN A	20	N/D

LOQ is 1ppb, LOD is 1ppb

#### **Moisture Analysis:**

Shimadzu MOC63U Moisture Balance - GSL SOP 411

Uploaded: 11/20/2020 23:07:29

Moisture %

3.6%

#### Filth and Foreign Materials Analysis:

Microscope - Amscope Simul-Focal Trinocular Stereo Zoom Microscope - GSL SOP 409

Uploaded: 11/20/2020 22:17:32

Pass: No Foreign Materials Detected

## Heavy Metals Analysis:

ICP-MS - Shimadzu ICPMS-2030 GSL SOP 403

Uploaded: 11/23/2020 16:29:41

Metal	Action Level (ppb)	Result (ppb)
ARSENIC (AS)	200	B/LOQ
CADMIUM (CD)	200	B/LOQ
MERCURY (HG)	100	B/LOQ
LEAD (PB)	500	B/LOQ

Lower Limit of Quantitation (LOQ) is 75 ppb

#### Water Activity:

HD-3A Water Activity Meter - GSL SOP 407

Uploaded: 11/20/2020 23:07:29

#### Water

0.54



Dr. Andrew Hall, Ph.D., Chief Scientific Officer

Ben Witten, MS, MT., Lab Director

Green Scientific Labs info@greenscientificlabs.com 1-833 TEST CBD

